

The background of the slide is a composite image. The left half shows a close-up of two hands shaking in a firm grip, symbolizing agreement or partnership. This is overlaid on a dark, blue-tinted image of a city skyline at night, with various skyscrapers and lights visible. A thick red diagonal line separates this image from the white background on the right.

Building Trust between People and business

We enable confident transactions

 www.maxsell.tech

“ We automate your cash handling,
**Freeing you to Focus more on
Delivering the Best Experiences
to your customers.**

From retail shops to banks, and for everything in between, we have tailor-made solutions to cater to every cash handling requirement of businesses.

Our products meet all the European & American Safety and Quality standards, ensuring easier & quicker business operations, confident & smooth transactions, complete customer satisfaction and thus, increased profits.



About

For more than 2 decades, we have empowered our customers to run their businesses confidently and profitably.

We help you to establish trust with your clients, by ensuring safe and secure transactions, which is critical to every business.

200+
Factory Trained
Engineers

20+
Years
of Excellence

20+
Smartest
machines with
incredible
performance.

100
Support
Centers
across India

Matrix 8510

4+1 Pocket Bank Note Fitness Sorter

Next generation of
currency sorting
is here

Specifications

Counting Speed

- 1200 notes /min counting,
750 notes/min for fitness sorting

Hopper capacity

- 2000notes (continuous feeding)

Stacker capacity

- 600 notes x 4 notes

Reject pocket capacity

- 300 notes

Operating system

- Windows 7

Detection Type

- UV/ sizes/ MG/ IR image/
visible image (CIS)

Interface

- RS-232,USB, SD card, VGA, LAN

Display

- 12.1" Large Touch Screen

Power consumption

- ≤ 240W

Dimensions

- (W)715 x (H)640 x (D)380mm

Weight

- 60Kg



Designed in
Germany



Touch screen with
12" TFT monitor



Meet RBI
Guidelines*



Large capacity hopper

Maximum 2000 notes capacity
in static status, add bank notes
continuously through lifting the
pressure banknote lever
while the sorter is working.



Easier maintenance

Easy to take out the bank notes
from each part where there is a
jam, also easy to clean dust.



Future expandable

Expandable upto
12 pockets for better efficiency



User Interface & OS

Large TFT screen with Windows
operating system, providing software
interfaces to facilitate the subsequent
developments on client's side

Matrix 8300

2+1 Pocket Banknote Full Fitness Sorter

The most advanced —
sorter yet

Specifications

Counting speed	- 1200 notes/min
Sorting Speed	- 800 notes/min
Hopper capacity	- 1000 notes (continuous feeding)
Stacker capacity	- 200 notes x 2
Reject pocket capacity	- 100 notes
Counterfeit Detection	- IR, MG, MT, UV, Thickness & CIS
Power consumption	- ≤90W
Dimension	- 390(L)*310(W)*452(H)mm
Weight	- 24.6 Kgs
Interface	- RS-232, RJ-11, USB, SD card & LAN



**Designed in
Germany**



Software Upgrade via
USB or SD Card.



Meet RBI
Guidelines*



Display optional



Advanced sorting & detection

With a combo of best detection technologies such as double face image recognition IR, MT, & FT, efficiently sort based on fitness, denomination, face & orientation



Renovated User Interface

Simple and easy operation, which can be learnt in no time at all, Comes with large color TFT display which is incredibly easy & intuitive to use.



Dust-Proof design

As each count is started a protective shutter automatically closes, covering the notes output top, This helps to decrease noise level & dust emitted by the unit, ensuring safe & comfortable operation.



Easy maintenance

The transportation path can be opened widely for easy access to the banknote path, which helps facilitate maintenance and handling of jammed notes.

Matrix - 8122 / 8130

1.5 Pocket Full Fitness Sorter

Specifications

Counting speed	- 800-1200 notes/min
Hopper capacity	- 500 notes (continuous feeding)
Stacker capacity	- 200 notes
Reject pocket capacity	- 50 notes
Detection	- UV, IR, MG, MT & CIS
Power consumption	- ≤50W
Dimension	- 251(L)*271(W)*264(H)mm
Weight	- 8.5Kg
Interface	- RS-232, Printer, USB, SD card LAN (optional)

Power Packed Performer




Designed in Germany



Touch screen with TFT colour display



Meet RBI Guidelines*



Instant payment made easy

With mixed value Batch Function, easily pause counting when desired value is reached, even with mixed denomination.



Easy maintenance

With tested dust-proof design, the machine operates seamlessly in any environment with little need for occasional maintenance.



TFT Touch screen Display

High definition TFT Color touch screen display with user-configurable settings.



Fitness function

Sorting banknote by fitness or quality with its capability to detect folded corners, holes, soil, tears and tape as unfit notes.

*Features Available only in 8128/8130 Series

Matrix 8060i

Two Pocket Authenticator

Speed, convenience
& longer duty cycle
bundled in one

LAUNCHING
SHORTLY

Specifications

- | | |
|--------------------|----------------------------------|
| Counting Speed | - 800 - 1200 Notes/min |
| Hopper capacity | - 500 notes (Continuous Feeding) |
| Stacker Capacity | - 200 notes |
| Rejection Capacity | - 50 notes |
| Detection | - UV, MG, MT & IR-CIS |
| Power consumption | - ≤ 60W |
| Dimension in mm | - 286 (L) x 270 (W) x 270 (H) |
| Weight | - 8.5 Kg |
| Interface | - RS232, USB, RJ45 |



Designed in
Germany



Touch screen with
TFT colour display



First in Industry offering
Bluetooth Technology



Easy maintenance

Design of open channel transport path for easy maintenance and removal of jam notes.



TFT color display

3.5-inch TFT display, the viewing area is larger and the user experience is better



CIS Technology

Contact image sensor specially designed only for the banknote processing industry, which is developed & engineered in Germany.



Easy software update

Software up-gradation via USB eliminates the need for a PC at the location also saves time & money

Performance refined with added Sensor

MX50 Valuetek

Mixed Note Value Counter-cum-Detectors

Specifications

Counting Speed	- 1000 notes/min
Hopper capacity	- 200 notes
Stacker Capacity	- 150 notes
Rejection Capacity	- 50 notes
Display Interface	- 3" Full TFT Colour Display
Detection	- UV, MG, MT, IR, 2D & 3D
Power consumption	- <75 W
Dimension in mm	- 316 (L) x 263 (W) x 207 (H)
Weight in Kgs	- 6.5 Kgs



Software Upgrade
via USB



Easy maintenance



(Display Included)



TFT color display

3.5-inch TFT display,
the viewing area is larger and
the user experience is better



Dust Proof & Easy maintenance

Completely dust-proof & easy-to-clean
inner parts with top opening cover,
make the maintenance easy, without
any technician's help.



Counterfeit Detection Technology

6 fold detection technology
using UV, MG, MT, IR, 2D
and 3D size detection.



Print counting result data

Counting results can be printed
instantly using the external printer
with just a click away.
(Printer optional)

**Built to perform
impressively**

MX-50i

Intelligent Currency Counter-cum-Detectors

Specifications

Counting speed	- 1200 notes/min
Hopper capacity	- 200 notes
Stacker capacity	- 150 notes
Detection technology	- UV, MG, MT, IR & Width
Power supply	- 100-240V AC, 50/60Hz
Power consumption	- ≤80W
Dimension	- 330(L)*265(W)*220(H)mm
Weight	- 7.6Kg



Trusted by RBI &
major financial institutes



Heavy duty motor



(Display Optional)



Specialty built to detect super fake notes

With the most enhanced iScan technology which is tried and detection techniques, tested by RBI & with top-grade even the minutes anomalies cannot escape.



Run continuously like work horse

Robust quality with industrial strength motors are built to last longer



Save time with automated operations

Reduce manual errors with built-in smart batch presetting & adding modes, to make counting and instant payment quicker & easier.



Upgrade to the latest without investing more

Save on investment by remaining updated with the latest & fastest technology through chip upgradation, without changing entire hardware.

MX-50 Smart+

Affordable Currency Counter-cum-Detector

Specifications

Counting speed	- 1000 notes/minute
Hopper capacity	- 200 notes
Stacker capacity	- 150 notes
Detection technology	- UV, MT, MG & IR
Power supply	- 220V / 50Hz
Power consumption	- ≤60W
Dimension	- 290 (L) x 260 (W) x 200 (H)
Weight	- 6.7Kg

Smartest currency counter
to ever exist



In-built dust absorber



(Display Included)

MX-50 Ultra+

Economic Currency Counter-cum-Detector

Specifications

Counting speed	- 1200 Notes/minute
Hopper capacity	- 200 notes
Stacker capacity	- 150 notes
Detection Technology	- UV, MG, MT & IR
Power supply	- 220V/50Hz
Power consumption	- ≤50W
Dimension	- 300(L) * 250(W) * 200(H) mm
Weight	- 5.7 Kg

Hard on fakes,
soft on your pocket



In-built dust absorber



Upgradeable via USB



(Display Included)

BAND X-50

Automatic Bundling & Strapping machine

Specifications

Strapping Speed	- 8/Sec for 1000 Notes
Minimum strapping range	- 110 mm x 50 mm x 40 mm
Maximum Strapping range	- 180 mm x 80 mm x 130 mm
Binding Strap Specification	- 15mm x 0.16 mm
Tightening force	- ≥ 6500 N
Breaking force of strap joint	- ≥ 200 N
Product Size	- 385 mm x 359 mm x 475 mm
Machine Weight	- 34 Kgs

LAUNCHING
SHORTLY

Simple on the outside,
powerful in the inside



Compact & Portable



Tamper Proof



MX-CC 500 Pro

High Speed Coin Sorter-cum-Counter

Specifications

Counting Speed	- 1200 Coins/min
Hopper Capacity	- 800 Coins (approx.)
No. of Pockets	- 5
Capacity per Pocket	- 300 Coins (approx.)
Token Diameter	- 14-34 mm
Token Thickness	- 1-3.5 mm
Dimension in mm	- 415 X 330 X 194 (mm)
Net Weight	- 7.6 Kg
Power Consumption	- < 80 W



Small footprint



Fits anywhere



Imp Note : Coin sorts based on thickness and Diameter,
Coins with same diameter, thickness with different value cannot be sorted

MX-CC 100 HD

Heavy Duty Coin Counter

Specifications

Counting speed	- 2000 Coins/ minute
Hopper capacity	- 4000 Coins
Token Diameter	- 14 - 34 mm
Token Thickness	- 1 - 3.5mm
Batching	- Programmable batching from 1 - 9999
Countable Coins	- INR and most of the foreign Coins & Tokens
Power supply	- 220V/50Hz
Power consumption	- ≤80W
Dimension CC 100	- 400 (L)*230 (W)*360 (H) mm
Weight	- 13.8Kg

Sturdy design for
lightning-fast action



Adjustable to count
any coin



High performance &
robust build



Suitable for counting Metro
RFID Coins & Tokens



MX-CC 200

Coin Counter

Specifications

Counting speed	- 2000 Coins/ minute
Hopper capacity	- 1500 Coins
Token Diameter	- 14 - 34 mm
Token Thickness	- 1 - 3.5mm
Batching	- Programmable batching from 1 - 9999
Countable Coins	- INR and most of the foreign Coins & Tokens
Power supply	- 220V/50Hz
Power consumption	- ≤60W
Dimension CC 100	- 360(L) * 240(W) * 185(H) mm
Weight	- 8.5Kg

Where precision
meets power



Adjustable to count
any coin



Easily portable
& compact



Suitable for counting Metro
RFID Coins & Tokens



MX - 600 Series

Bundle Note Counter

Specifications

Model	MX-600 (DT)	MX-600 Slim(FL)	MX-600 HD(DT)	MX-600 HD(FL)	MX-600 HD+(DT)	MX-600 HD+ (FL)	MX-600 Ultra(DT)	MX-600 Ultra(FL)	MX-600 Ace(DT)	MX-600 Ace(FL)
Type	Desktop	Floor	Desktop	Floor	Desktop	Floor	Desktop	Floor	Desktop	Floor
Counting Speed	4 seconds (100 notes)	4 seconds (100 notes)	4 seconds (100 notes)	4 seconds (100 notes)	4 seconds (100 notes)	4 seconds (100 notes)	4 seconds (100 notes)	4 seconds (100 notes)	2.5 seconds (100 notes)	2.5 seconds (100 notes)
Electronic Counter	○	○	○	○	○	○	✓	✓	✓	✓
High Speed Processor	X	X	X	X	X	X	X	X	✓	✓
Motor (watts)	25W	25W	25W	25W	40W	40W	40W	40W	40W	40W
Pump (Horse Power)	0.3 HP	0.3 HP	0.5 HP	0.5 HP	0.5 HP	0.5 HP	0.5 HP	0.5 HP	0.5 HP	0.5 HP
Free mode/check mode/ Batch mode	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Auto/ Manual Start	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
9 Bandwidth Digital UV Technology	○	○	○	○	○	○	○	○	○	○
Dimension in mm (W x L x H)	305 x 432 x 228	330 x 254 x 686	305 x 432 x 228	350 x 310 x 800	305 x 432 x 228	350 x 310 x 800	305 x 432 x 228	350 x 310 x 800	305 x 432 x 228	350 x 310 x 800
Net Weight	32 Kg	38 Kg	32 Kg	42 Kg	32 Kg	42 Kg	32 Kg	42 Kg	32 Kg	42 Kg

Fastest Bundle Counter on the Planet



Counts unfit & soiled notes of any conditions.



Supports multi-currency



Counts bundle in 2.5 seconds



Optional UV detector




Runs continuously like a workhorse

With in-built heat and dust absorbing fan & 110V transformer to operate in low voltages, it's truly a workhorse, counting any currency & denomination at 2.5s per bundle.



Sturdy build for robust operation

The specially designed injection mould ABS body helps the machine operate continuously & flawlessly even in harsh environments.



Integrated with smart features

In-built batch presetting makes segregation from bundle easier, while the value adding & OK stamping will help reduce time & manual labor.



Advanced detection technology

Enhance detection power with optional 9-band UV detector, which can precisely count even misaligned & old notes with ease.

MX 600 DT



MX 600 HD



*Also Available Heavy Duty & High Speed models for Currency Chest

LED Video Wall

Indoor & Outdoor

Premium Outdoor Display



High Resolution
High Refresh Rate
Advanced Design
Pixels: P4, P5, P6, P8, P10
Led type: SMD
Material: MS with High Grade Powder
Coating Finish
Lamp: Nationstar / Kinglight
IC: MBI / ICN
Control System: Novastar

Premium Indoor Display



High Resolution
High Refresh Rate
Advanced Design
Led type: SMD
Material: MS with High Grade Powder
Coating Finish / Aluminum Die-casting
Lamp: Nationstar / Kinglight
IC: MBI / ICN
Control System: Novastar

Customised Standee Solution



High Resolution
High Refresh Rate
Advanced Design
Led type: SMD
Material: Aluminum Die-casting
Lamp: Nationstar / Kinglight
IC: MBI / ICN
Control System: Novastar

Application : Video walls are a popular way to convey information, tell a story, and engage an audience with a multimedia presentation. Not only can they be used indoors in office lobbies, retail stores, or large meeting spaces, but they can also go outdoors on an even bigger canvas. Whenever you take electronic technology outdoors, you have some different things to consider. Naturally, weather resistance is the first thing that will come to mind. But there are quite a few other questions you should consider as well. What you should think about as you plan your outdoor LED video wall project in India.

**Fast
Efficient —
Thorough**

The Ultrasonic Cleaners are equipped with state-of-the-art, high performance transducer to scour even the slightest impurities in every nook and corner. With a range of tank sizes and adjustable settings, easily customize to suit any equipment or operation.

Operations

- Cleaning
- Mixing
- Homogenizing
- Dissolving
- Cell Lysing
- Dispersion



Medical



Jewelleries



Automotive &
other industries



Specifications

	MX50 QTD2L	MX100 QTD3L	MX150 QTD6L	MX200 QTD9L	MX300 QTD13L	MX400 QTD20L	MX500 QTD27L
Tank Size(mm)	150x140x100	240x140x100	300x155x150	300x240x150	330x300x150	500x300x150	500x300x200
Unit Size(mm)	190x170x220	270x170x240	330x180x310	330x270x310	360x330x310	550x330x310	550x330x360
Volume	2L	3L	6L	9L	13L	20L	27L
Ultrasonic Power(W)	50	100	150	200	300	400	500
Ultrasonic Frequency	40 kHz	40 kHz	40 kHz	40 kHz	40 kHz	40 kHz	40 kHz
Heating Power(W)	100	100	300	300	400	500	500
Timer (min)	1-99	1-99	1-99	1-99	1-99	1-99	1-99
Heating Temperature(°C)	0-80	0-80	0-80	0-80	0-80	0-80	0-80

(Available D Series & Industrial Models in customizable sizes)

Destroy your data
Securely & Effortlessly



MX 8A2 (Micro cut)

Specifications:

Max Sheet Capacity	- 8 Sheets
Cut Size	- 2x15 mm
Cutting Speed	- 2.5 Meter/ Per Min
Security Level	- P-5
Bin Volume	- 20 L
Entry Width	- 220 mm
Noise Level	- 55 ≤ dB
Duty Cycle	- 6 Min ON/ 40 Min OFF
Dimension	- 440 x 340 x 550 mm
Weight	- 12.5 Kgs



MX 12 - CC

Specifications:

Max Sheet Capacity	- 12 Sheets
Cut Size	- 4x35 mm
Cutting Speed	- 2.5 Meter/ Per Min
Security Level	- P-4
Bin Volume	- 20 L
Entry Width	- 220 mm
Noise Level	- 55 ≤ dB
Duty Cycle	- 6 Min ON/ 40 Min OFF
Dimension	- 440 x 340 x 525 mm
Weight	- 12.5 Kgs



MX-15C3

Specifications:

Max Sheet Capacity	- 15 Sheets
Cut Size	- 4x35 mm
Cutting Speed	- 3 Meter/ Per Min
Security Level	- P-4
Bin Volume	- 26 L
Entry Width	- 230 mm
Noise Level	- 55 ≤ dB
Duty Cycle	- 30 Min ON/ 40 Min OFF
Dimension	- 485 x 385 x 615 mm
Weight	- 19 Kgs



MX-18 C

Specifications:

Max Sheet Capacity	- 18 Sheets
Cut Size	- 4x35 mm
Cutting Speed	- 3 Meter/ Per Min
Security Level	- P-4
Bin Volume	- 35 L
Entry Width	- 230 mm
Noise Level	- 55 ≤ dB
Duty Cycle	- 30 Min ON/ 40 Min OFF
Dimension	- 430 x 300 x 630 mm
Weight	- 19 Kgs

Standard & Quality before anything

Our state-of-the art manufacturing units, backed by a strong R&D team, is committed to making the best, thoroughly tested latest technologies affordable & accessible.



More than **1 lakh+** Maxsell machines are running flawlessly nationwide!

Clientele


Banks & Financial Institutions



Retail, Hospitality & Services







Disclaimer:

Detection functionality of all products should be seen as indication to suspected notes and not as certifier or authenticator for counterfeit notes.
Product shown in the picture may vary from the actual image.

MAXSELL[®]

Haritha Automation Private Limited

A : Arihant Park

No:10, Gowdia Mutt Road, Royapettah,
Chennai - 600014 Tamilnadu, India.

E : sales@maxsell.co.in / info@maxsell.co.in

M : +91 81222 22999 | 78239 12333

R&D Center :

A : Hajo-Rüter-Straße 19,

65239 Hochheim am Main, Germany.

P : +49 6146 8160811

Area Dealer



Scan here to chat
on Whatsapp